PRICE LIST FIXED AND REMOVABLE PROSTHESIS

for dentists and dental technicians







SCREWLESS FIXED PROSTHESIS EASY FIX



EASY FIX SET



THE ALL ON FOUR OT EQUATOR + EASY FIX SET, CONTAINS EVERYTHING NEEDED TO BUILD A FOUR-IMPLANT FRAMEWORK WITH THE EASY FIX SYSTEM. THE FOUR OT EQUATOR ABUTMENTS MUST BE OF THE SAME CONNECTION AND HEIGHT. EASY FIX T-BASE WILL BE COMPATIBLE WITH THE CHOSEN PLATFORM.

Ref. KEF44

T-BASE h 4mm

Ref. KEF46

T-BASE h 6mm

Ref. KEF49

T-BASE h 9mm

ALL ON FOUR OT EQUATOR + EASY FIX

SET CONTENT

- OT EQUATOR TITANIUM ABUTMENTS WITH TIN COATING
- TITANIUM EASY FIX T-BASE Ø 3,5 mm **EASY FIX LOCKING SCREW**
- WHITE PEEK SEEGER STRONG RETENTION
- PINK PEEK SEEGER MEDIUM RETENTION
- IVORY PEEK SEEGER SOFT RETENTION
 BLACK PEEK SEEGER FOR LABORATORY USE

STRONG MEDIUM

THE 4 EASY FIX T-BASE SET, CONTAINS FOUR COMPLETE EASY FIX T-BASE FOR MAKING A FRAMEWORK WITH THE EASY FIX SYSTEM.

Ref. KEF4MEF

h4mm

Ref. KEF4MAEF

h6mm

Ref. KEF4MLEF

h9mm

4 EASY FIX T-BASE

- **SET CONTENT** 4 TITANIUM EASY FIX T-BASE Ø 3,5 mm
- EASY FIX LOCKING SCREW
 WHITE PEEK SEEGER STRONG RETENTION
- PINK PEEK SEEGER MEDIUM RETENTION IVORY PEEK SEEGER SOFT RETENTION

BLACK PEEK SEEGER FOR LABORATORY USE



Ref. KMSRF

h4mm

Ref. KMASRF

h6mm

Ref. KMLSRF

h9mm

EASY FIX T-BASE

SET CONTENT

- TITANIUM EASY FIX T-BASE Ø 3,5 mm WHITE PEEK SEEGER STRONG RETENTION
- PINK PEEK SEEGER MEDIUM RETENTION
- IVORY PEEK SEEGER SOFT RETENTION
- **BLACK PEEK SEEGER FOR LABORATORY USE**

Ref. KSEF

EASY FIX SEEGER SET

SET CONTENT

- WHITE PEEK SEEGER STRONG RETENTION PINK PEEK SEEGER MEDIUM RETENTION
- IVORY PEEK SEEGER SOFT RETENTION BLACK PEEK SEEGER FOR LABORATORY USE

SPARE PARTS



Ref. 030

• 1 OT EOUATOR TITANIUM ABUTMENT WITH TIN COATING

\$125



Ref. RMEF

Ref. RMLEF

- 1 TITANIUM EASY FIX T-BASE h 4mm Ø 3,5 mm
- **Ref. RMAEF** TITANIUM EASY FIX T-BASE h 6mm Ø 3,5 mm

• 1 TITANIUM EASY FIX T-BASE h 9mm Ø 3,5 mm

\$35

\$575

\$210

\$60



SCREWLESS FIXED PROSTHESIS EASY FIX

| SPARE PARTS ——— | | |
|--------------------------|--|-------|
| Ref. KSST | • 4 WHITE PEEK SEEGER STRONG RETENTION | \$50 |
| Ref. KSM | • 4 PINK PEEK SEEGER MEDIUM RETENTION | \$50 |
| Ref. KSM Ref. KSSO | • 4 IVORY PEEK SEEGER SOFT RETENTION | \$50 |
| Ref. KSL | • 4 BLACK PEEK SEEGER FOR LABORATORY USE | \$50 |
| Ref. 240GCEF | | ės e |
| Ref. 240GCLEF | | \$15 |
| SCREWS - | | |
| Ref. 149VEF | • 1 EASY FIX TITANIUM LOCKING SCREW | \$20 |
| Ref. 239VSEF | • 1 EASY FIX TITANIUM SPACE SCREW | \$20 |
| Ref. 149TEF | • 1 OT EQUATOR SEALING SCREW | \$20 |
| IMPRESSION COPING | is ———— | |
| Ref. 144TLE | • 1 TITANIUM OT EQUATOR LONG IMPRESSION COPING + TITANIUM LONG SCREW | \$55 |
| LABORATORY ANALO | OGS — | |
| Ref. 144AE | • 2 LABORATORY ANALOGS ø 4mm | \$45 |
| OT EQUATOR SCAN A | BUTMENT | |
| Ref. 145SAE | • 1 OT EQUATOR SCAN ABUTMENT + TITANIUM SCREW | \$105 |
| TOOLS | | |
| | | |
| Ref. 761EEF Ref. 761ELEF | UNLOCKING TOOL h 22,4mm LONG UNLOCKING TOOL h 28,4mm | \$70 |
| 10077722 | | |
| Ref. 491SEIM | • 1 EASY FIX T-BASE INSERTION TOOL | \$68 |
| Ref. 772CSF | • 1 HEXAGONAL KEY FOR SEALING SCREW | \$68 |
| Ref. 491EEF | • 1 EASY FIX INSERTER, TESTER AND SEEGER EXTRACTOR | \$60 |

FIXED PROSTHESIS OT BRIDGE

OT EQUATOR ABUTMENT •



Ref. 030

• 1 OT EQUATOR TITANIUM ABUTMENT WITH TIN COATING

\$125

CUFF HEIGHT MEASURER



Ref. 008MBG

SET CONTENT

CUFF HEIGHT SLIDER GAUGE MEASURER

\$85

KIT 42



Ref. BE42 + n° 42 OT **EQUATOR** (Ref. 030 to be chosen) • 1 ASSORTMENT SET (autoclavable) + 42 OT EQUATOR +TIN ABUTMENTS THE SET42 CAN BE CUSTOMIZED ON THE BASIS OF THE IMPLANTS BRANDS, IMPLANTS DIAMETERS AND CUFF HEIGHTS DESIRED. PLEASE INDICATE, IN THE ORDER, THE QUANTITY AND THE ABOVE SPECIFICATIONS FOR EVERY KIND OF ABUTMENT. (Tools not included in the set)

\$4410

Ref. BE42

1 EMPTY BOX FOR ASSORTED OT EQUATOR ABUTMENTS

\$150

ALL ON FOUR OT BRIDGE SET WITH OT EQUATOR ABUTMENTS



THE ALL ON FOUR SET CONTAINS EVERYTHING NEEDED TO BUILD A FOUR-IMPLANT FRA-MEWORK WITH THE OT BRIDGE SYSTEM. THE FOUR OT EQUATOR ABUTMENTS MUST BE OF THE SAME CONNECTION AND HEIGHT. EXTRA-GRADE T-BASE WILL BE COMPATIBLE WITH THE CHO-SEN PLATFORM

ALL ON FOUR OT EQUATOR + EXTRAGRADE

SET CONTENT

OT EQUATOR TITANIUM ABUTMENTS WITH TIN COATING TITANIUM EXTRAGRADE T-BASE

PINK SEEGER WITH HANDLE (SOFT RETENTION)
WHITE SEEGER WITH HANDLE (STANDARD RETENTION)
TITANIUM SCREWS FOR EXTRAGRADE T-BASE

\$595

ALL ON FOUR OT EQUATOR + EXTRAGRADE MINI SET CONTENT

Ref. AO4M

Ref. AO4N

OT EQUATOR TITANIUM ABUTMENTS WITH TIN COATING

TITANIUM EXTRAGRADE T-BASE MINI
PINK SEEGER WITH HANDLE (SOFT RETENTION)
WHITE SEEGER WITH HANDLE (STANDARD RETENTION)

TITANIUM SCREWS FOR MINI EXTRAGRADE TITANIUM T-BASE

\$595

ALL ON FOUR OT EQUATOR + EXTRAGRADE 15°

SET CONTENT

Ref. AO4A

OT EQUATOR TITANIUM ABUTMENTS WITH TIN COATING TITANIUM EXTRAGRADE T-BASE INCLINED AT 15° • 4

PINK SEEGER WITH HANDLE (SOFT RETENTION)
WHITE SEEGER WITH HANDLE (STANDARD RETENTION)

SPHERICAL TITANIUM SCREWS FOR 15° INCLINED T-BASE

TITANIUM 4 T-BASE EXTRAGRADE SET



THE 4 T-BASE EXTRAGRADE SET, CONTAINS FOUR COMPLETE EXTRAGRADE T-BASE FOR MAKING A FRAMEWORK WITH THE OT BRIDGE SYSTEM.

| Ref. AO4SEG Ø3,5 mm Ref. AO440SEG Ø4 mm Ref. AO450SEG Ø5 mm | 4 T-BASE EXTRAGRADE SET CONTENT -4 TITANIUM EXTRAGRADE T-BASE -4 PINK SEEGER WITH HANDLE (SOFT RETENTION) -8 WHITE SEEGER WITH HANDLE (STANDARD RETENTION) -1 TITANIUM SCREWS FOR EXTRAGRADE T-BASE | \$175 |
|---|--|-------|
| Ref. AO4MSEG Ø3,5mm Ref. AO4M40SEG Ø4mm | 4 T-BASE EXTRAGRADE MINI SET CONTENT 14 TITANIUM EXTRAGRADE T-BASE MINI 14 PINK SEEGER WITH HANDLE (SOFT RETENTION) 18 WHITE SEEGER WITH HANDLE (STANDARD RETENTION) 14 TITANIUM SCREWS FOR MINI EXTRAGRADE TITANIUM T-BASE | \$175 |
| Ref. AO4SFEG Ø35mm Ref. AO4EG15SF Ø4mm | 4 T-BASE EXTRAGRADE 15° SET CONTENT • 4 TITANIUM EXTRAGRADE T-BASE INCLINED AT 15° • 4 PINK SEEGER WITH HANDLE (SOFT RETENTION) • 8 WHITE SEEGER WITH HANDLE (STANDARD RETENTION) • 4 SPHERICAL TITANIUM SCREWS FOR 15° INCLINED T-BASE | \$270 |

TITANIUM T-BASE FOR FIXED PROSTHESIS





Ref. MTSFEG

Ø 3.5 mm

Ref. MTEG15SF

EXTRAGRADE TITANIUM T-BASE INCLINED AT 15°

- **SET CONTENT** TITANIUM EXTRAGRADE T-BASE INCLINED AT 15° TO BE CEMENTED WHITE SEEGER WITH HANDLE

- PINK SEEGER WITH HANDLE SPHERICAL TITANIUM SCREW FOR 15° INCLINED T-BASE

| T-BASE FOR FIXED PROSTHESIS | ı |
|--|---------------|
| Ref. CMEG40C Q4mm EXTRAGRADE CASTABLE T-BASE SET CONTENT 1 EXTRAGRADE CASTABLE T-BASE WITH HOLE 1 TITANIUM SCREW h2 mm 2 WHITE SEEGER WITH HANDLE 1 PINK SEEGER WITH HANDLE | \$45 |
| Ref. MCEG15SF Ø4mm EXTRAGRADE CASTABLE T-BASE WITHOUT HOLE SET CONTENT 1 EXTRAGRADE CASTABLE T-BASE WITHOUT HOLE (ONLY AVAILABLE WITH Ø4mm) 2 WHITE SEEGER WITH HANDLE 1 PINK SEEGER WITH HANDLE | \$40 |
| Ref. CMTFP h1,8mm Ref. CMTB30FP h3mm TITANIUM T-BASE WITH LATERAL HOLES FOR TEMPORARY RESIN BRIDGE WITH WIRE-REINFORCEMENT SET CONTENT 1 TITANIUM T-BASE WITH LATERAL HOLES (ONLY AVAILABLE WITH Ø 3,5mm) 1 TITANIUM SCREW h2 mm 2 WHITE SEEGER WITH HANDLE 1 PINK SEEGER WITH HANDLE | \$45 |
| Ref. MT40GL Output Ref. MT40GL Output Outp | \$45 |
| HEALING ABUTMENTS | |
| Ref. 159VAG SCREW AND HEALING RING SET CONTENT 1 TITANIUM SCREW 1 TITANIUM HEALING RING | \$40 |
| Ref. 159EAG OT EQUATOR AND HEALING RING SET CONTENT 1 TITANIUM + TIN OT EQUATOR SCREW FOR HEALING RING 1 TITANIUM HEALING RING | \$55 |
| Ref. 159VEA • 1 Titanium + TiN OT EQUATOR screw (for self-extracting peek ring or titanium self-extracting healing ring) | \$35 |
| IMPRESSION COPINGS | |
| Ref. 144TLE • 1 TITANIUM OT EQUATOR LONG IMPRESSION COPING + TITANIUM LONG SCREW h11,5mm | n \$55 |
| Ref. 144TTE • 1 TITANIUM OT EQUATOR IMPRESSION COPING + TITANIUM SCREW h6 mm | \$55 |
| Ref. 144MTE • 2 OT EQUATOR IMPRESSION COPINGS FOR INDIVIDUAL TRAY | \$49 |
| Ref. TPM2 • 2 MINI OT EQUATOR IMPRESSION COPINGS h3,7mm | \$49 |

| LABORATORY ANALOGS — | | |
|--|---|--------------|
| | ABORATORY ANALOGS ø 4mm ABORATORY ANALOGS ø 5mm | \$45 \$45 |
| 0 0 | ABORATORY ANALOG WITH SCREW FOR CAD/CAM ø 4mm ABORATORY ANALOG WITH SCREW FOR CAD/CAM ø 5mm | \$47 \$47 |
| OT EQUATOR SCAN ABUTME | ENT | |
| Ref. 145SAE •1 O | T EQUATOR TITANIUM SCAN ABUTMENT + TITANIUM SCREW | \$105 |
| SCREWS | | |
| | ITANIUM SCREW FOR EXTRAGRADE T-BASE for screwdriver/stem for inclined Channel) | \$20 |
| | PHERICAL TITANIUM SCREW FOR INCLINED T-BASE for screwdriver/stem for inclined Channel) | \$20 |
| | ITANIUM SCREW FOR MINI EXTRAGRADE T-BASE for screwdriver/stem for inclined Channel) | \$20 |
| Ref. VC ·1 TI | ITANIUM SCREW FOR EXTRAGRADE T-BASE h2mm | \$20 |
| Ref. VM · 1 TI | ITANIUM SCREW FOR EXTRAGRADE T-BASE h6mm | \$20 |
| Ref. VXL · 1 TI | TANIUM SCREW FOR EXTRAGRADE T-BASE h11,5mm | \$20 |
| TOOLS | | |
| Ref. KEST SET CO | GER TOOL SET FOR DIRECT OT BRIDGE CONNECTION ONTENT EEGER TOOL BUR 1 (2.8xR0.05) EEGER TOOL BUR 2 (2.6x30°) | \$270 |
| Ref. 776CGC ·1 State ·1 Sta | QUARE SCREW DRIVER for tightening OT EQUATOR SQUARE TIP 1.25MM) (USABLE WITH THE MANUAL TORQUE WRENCH) | \$68 |


(*Long version)

FIXED PROSTHESIS OT BRIDGE

TOOLS Ref. 760CSC SCREWDRIVER/STEM FOR ANGULATED CHANNEL FOR TORQUE CONTROLLER CONTRA ANGLE (SQUARE 1.25MM) AND ADAPTER FOR MANUAL TORQUE WRENCH \$59 Ref. 760CS* (*Long version) Ref. 760ACC SCREWDRIVER/STEM FOR ANGULATED CHANNEL ADAPTER \$70 (USABLE WITH MANUAL TORQUE WRENCH) Ref. 760CQC OT EQUATOR SCREWDRIVER/STEM FOR TORQUE CONTROLLER WITH SQUARE CONICAL TIP • 1 h 22mm \$63 Ref. 760CQCL • 1 RATCHET TORQUE CONTROL DEVICE (FOR OT EQUATOR, SPHERO BLOCK \$360 Ref. 760CRD-US AND FLEX 15/35 Ncm STRENGHT - MAX 70 Ncm TORQUE. • 1 UNIVERSAL HANDLE Ref. 124ICP \$20 INSERTER/EXTRACTOR FOR SEEGER FOR FIXED PROSTHESIS **Ref.490IS** \$55 WITH TESTER, HANDLE AND CASE • 1 INSERTER AND TESTER FOR FIXED PROSTHESIS SEEGER **Ref.190IS** \$22 **MEDICAL STEEL T-BAR** \$35 4 MEDICAL STEEL JOINTS Ref. G80A \$13 4 MEDICAL STEEL CYLINDERS Ref. T20A \$18 4 MEDICAL STEEL RETENTIVE CYLINDERS Ref. T20Ai TITANIUM T-BAR Ref. G80T \$43 • 4 TITANIUM JOINTS \$23 4 TITANIUM CYLINDERS Ref. T20T \$28 4 TITANIUM RETENTIVE CYLINDERS Ref. T20Ti **TOOLS T-BAR** \$54 **Ref. T-APLUS** 2 T-BAR ADAPTERS

FIXED PROSTHESIS OT BRIDGE

SPARE PARTS



OT EQUATOR FOR IMPLANTS = **OT EQUATOR FOR IMPLANTS SET** SET CONTENT OT EQUATOR TITANIUM + TIN ABUTMENT STAINLESS STEEL HOUSING PROTECTIVE DISK **Ref. 130** \$155 RETENTIVE CAPS (1 EXTRA-SOFT, 1 SOFT, 1 STANDARD, 1 STRONG) OT EQUATOR AND SMARTBOX FOR IMPLANTS SET **SET CONTENT** OT EQUATOR TITANIUM + TIN ABUTMENT ANODIZED SMART BOX HOUSING WITH BLACK POSITIONING CAP **Ref. 131** \$165 PINK PROTECTIVE DISK (1 EXTRA-SOFT, 1 SOFT, 1 STANDARD, 1 STRONG) • 1 OT EQUATOR TITANIUM + TIN ABUTMENT **Ref. 030** \$125 THE OT EQUATOR ATTACHMENTS ARE AVAILABLE FOR THE MAJOR IMPLANT BRANDS. UPON REQUEST WE CAN CUSTOMIZE THEM FOR ANY KIND OF IMPLANTS. WHEN ORDERING INDICATE: IMPLANT, DIAMETER AND CUFF HEIGHT. CUFF AVAILABLE TO 7mm. OT EQUATOR FOR BARS -OT EQUATOR THREADED SLEEVE SYSTEM SET FOR BONDING SET CONTENT OT EQUATOR THREADED for titanium sleeve (1.6 mm THREAD) THREADED SLEEVES (1.6 mm THREAD) STAINLESS STEEL HOUSINGS • 2 **Ref. 160EQB** \$185 OT EOUATOR SPACERS RETENTIVE CAPS (2 EXTRA-SOFT, 2 SOFT, 2 STANDARD, 2 PROCESSING) **ELASTIC SEEGER** PASSIVE BAR CONNECTIONS SYSTEM **ELASTIC SEEGER SET SET CONTENT** Ref. 158ESA CASTABLE CYLINDER FOR SEEGER \$40 SELF-EXTRACTING SEEGER TITANIUM SCREW FOR SELF-EXTRACTING SEEGER

CAPS ASSORTMENT SET =



SMART BOX SET SELF-ALIGNING OT EQUATOR HOUSING

| Ref. 335SBC | SMART BOX SET | |
|-------------|--|------|
| | SET CONTENT 1 SMART BOX HOUSING WITH BLACK POSITIONING CAP 1 PINK PROTECTIVE DISK 4 RETENTIVE CAPS (1 EXTRA-SOFT, 1 SOFT, 1 STANDARD, 1 STRONG) | \$59 |



SPARE PARTS OT EQUATOR —

| SPANE PA | NIS OI EQUAIO | 'n | | |
|----------|----------------|-----|--|------|
| | Ref. 140CEV | • 4 | RETENTIVE CAPS - VIOLET "STRONG" 2700g | \$39 |
| | Ref. 140CET | • 4 | RETENTIVE CAPS - CLEAR "STANDARD" 1800g | \$39 |
| | Ref. 140CER | • 4 | RETENTIVE CAPS - PINK "SOFT" 1200g | \$39 |
| | Ref. 140CEG | • 4 | RETENTIVE CAPS - YELLOW (EXTRA-SOFT 600g) | \$39 |
| | Ref. 140CEN | • 4 | PROCESSING CAPS - BLACK (FOR LABORATORY USE ONLY) | \$30 |
| | Ref. 140CEDR8 | • 4 | RETENTIVE CAPS - AQUA CAPS UNDERSIZED INTERNAL DIAMETER 2,2mm (STRONG 1300g) | \$39 |
| | Ref. 140CEADR8 | • 4 | RETENTIVE CAPS - ORANGE UNDERSIZED INTERNAL DIAMETER 2,2mm (VERY ELASTIC 350g) | \$39 |
| | Ref. 141CAE | • 2 | STAINLESS STEEL HOUSINGS | \$42 |
| | Ref. 141CTE | • 2 | TITANIUM HOUSINGS FUCHSIA ANODIZED | \$42 |
| | Ref. 330SBE | • 1 | SMART BOX HOUSING (WITH BLACK POSITIONING CAP) | \$38 |
| | Ref. 335CSB | • 4 | BLACK SMARTBOX (POSITIONING CAPS) | \$30 |
| = | Ref. 039SFE2 | • 1 | OT EQUATOR THREADED 2mm (DIRECT INTO 2mm THREAD) | \$50 |
| | Ref. 339SFE | • 1 | OT EQUATOR THREADED 1.6mm (FOR TITANIUM SLEEVE) | \$50 |
| | Ref. 239GSF | • 1 | TITANIUM SLEEVE (1.6mm THREAD) | \$40 |
| | Ref. 339SSE | • 1 | OT EQUATOR SPACER | \$20 |
| | Ref. 159VEA | • 1 | OT EQUATOR SEEGER (FOR SELF-EXTRACTING PEEK RING OR TITANIUM HEALING RING) | \$50 |
| 7 | Ref. 158VAE | • 1 | TITANIUM SCREW FOR SELF-EXTRACTING SEEGER | \$25 |
| T | Ref. 158SAE | • 1 | SELF-EXTRACTING WHITE SEEGER (FOR BAR LOCKING) | \$25 |
| | Ref. 158CCE | • 1 | CASTABLE CYLINDER height 2,5mm (FOR SEEGER) | \$25 |
| | Ref. 158CCAE | • 1 | HIGH CASTABLE CYLINDER height 3,5mm (FOR SEEGER) | \$25 |
| 3 | Ref. 151SS | • 2 | CASTABLE OT EQUATOR MALES | \$30 |

| ACCESSO | RIES OT EQUATOR | |
|--|---|----------------------|
| 1 | Ref. 144TLE • 1 OT EQUATOR TITANIUM TRANSFER + TITANIUM SCREW | \$55 |
| R | Ref. 144TTE • 1 OT EQUATOR TITANIUM TRANSFER + TITANIUM SCREW | \$55 |
| 8 | Ref. 144MTE • 2 IMPRESSION COPINGS (FOR INDIVIDUAL TRAY) | \$49 |
| | Ref. 044CAIN • 2 IMPRESSION COPINGS NORMAL SIZE - OT EQUATOR (WITH INTERCHANGEABLE CAP FOR PICK UP IMPRESSION) | \$49 |
| 00 | Ref. 144AE • 2 LABORATORY ANALOGS Ø 4mm Ref. Al502 • 2 LABORATORY ANALOGS Ø 5mm | \$45 \$45 |
| | Ref. 144AVC4 • 1 LABORATORY ANALOG WITH TITANIUM SCREW FOR CAD/CAM ø4mm Ref. 144AVC5 • 1 LABORATORY ANALOG WITH TITANIUM SCREW FOR CAD/CAM ø5mm | \$47 \$47 |
| | Ref. 161SCME • 4 OT EQUATOR SPACERS FOR HOUSING | \$30 |
| OT EQUAT | TOR TOOLS | |
| | | l |
| 3/ | Ref. 74AC01 • 1 PARALLELOMETER KEY "NORMAL SIZE" | \$32 |
| | | \$32 \$68 |
| The state of the s | Ref. 776CGC Ref. 777CGL* (*Long version) 1 PARALLELOMETER KEY "NORMAL SIZE" 1 SQUARE SCREW DRIVER for tightening OT EQUATOR (SQUARE TIP 1.25MM) (USABLE WITH THE MANUAL TORQUE WRENCH) Ref. 760CQC h22mm 1 OT EQUATOR SCREWDRIVER/STEM FOR TORQUE CONTROLLER | |
| | Ref. 776CGC Ref. 777CGL* (*Long version) Ref. 760CQC h22mm Ref. 760CQC 1 PARALLELOMETER KEY "NORMAL SIZE" 1 SQUARE SCREW DRIVER for tightening OT EQUATOR (SQUARE TIP 1.25MM) (USABLE WITH THE MANUAL TORQUE WRENCH) 1 OT EQUATOR SCREWDRIVER/STEM FOR TORQUE CONTROLLER WITH SQUARE CONICAL TIP | \$68 |
| | Ref. 776CGC Ref. 777CGL* (*Long version) Ref. 760CQC h22mm Ref. 760CQCL h32mm 1 PARALLELOMETER KEY "NORMAL SIZE" 1 SQUARE SCREW DRIVER for tightening OT EQUATOR (SQUARE TIP 1.25MM) (USABLE WITH THE MANUAL TORQUE WRENCH) 1 OT EQUATOR SCREWDRIVER/STEM FOR TORQUE CONTROLLER WITH SQUARE CONICAL TIP | \$68 \$63 |
| | Ref. 776CGC Ref. 777CGL* ('Long version) Ref. 760CQC h22mm Ref. 760CQC h32mm Ref. 760CQCL h 32mm Ref. 760CQCL h 32mm Ref. 485IC NULTIUSE CAPS INSERTER/EXTRACTOR TOOL | \$68 \$63 \$56 |

| SINGLE THREADED SPHERES WITH THREADED SLEEVE TO BE BONDED NORMAL - MICRO | | | | |
|--|-------------------|---|-------|--|
| | Ref. 139KSFN | SET SINGLE THREADED SPHERE NORMAL SIZE + TIN WITH SLEEVE TO BE BONDED SET CONTENT 12 TITANIUM NORMAL SINGLE THREADED SPHERE (HEX 1,3mm THREAD 1,6mm) 12 TITANIUM BOND-IN THREADED SLEEVE 13 S/STEEL SPACER for the THREADED SLEEVE (NORMAL sphere) | \$150 | |
| | Ref. 139KSFM | SET SINGLE THREADED SPHERE MICRO SIZE + TIN WITH SLEEVE TO BE BONDED SET CONTENT 2 TITANIUM MICRO SINGLE THREADED SPHERE (HEX 0,9mm THREAD 1,6mm) 2 TITANIUM BOND-IN THREADED SLEEVE 2 S/STEEL SPACER for the THREADED SLEEVE (MICRO sphere) | \$150 | |
| SPARE PA | RTS — | | | |
| | Ref. 239SFN | • 1 SINGLE THREADED SPHERE NORMAL SIZE + TIN FOR THREADED SLEEVE HEX 1,3mm THREAD 1,6mm | \$35 | |
| | Ref. 239SFM | • 1 SINGLE THREADED SPHERE MICRO SIZE + TIN FOR THREADED SLEEVE HEX 0,9mm THREAD 1,6mm | \$35 | |
| | Ref. 239GSF | • 1 TITANIUM BOND-IN THREADED SLEEVE FOR NORMAL AND MICRO - 1,6mm | \$39 | |
| | Ref. 239SSN | • 1 STAINLESS STEEL SPACER FOR THREADED SLEEVE (NORMAL sphere) | \$20 | |
| | Ref. 2395SM | • 1 STAINLESS STEEL SPACER FOR THREADED SLEEVE (Micro sphere) | \$20 | |
| | Ref. 039SFN2 | • 1 SINGLE THREADED SPHERE NORMAL SIZE + TIN HEX 1,3mm THREAD 2mm | \$35 | |
| | Ref. 039SFM2 | • 1 SINGLE THREADED SPHERE MICRO SIZE + TIN HEX 0,9mm THREAD 2mm | \$35 | |
| | Ref. 760CBR | • 1 HEX DRIVER FOR THREADED SPHERE NORMAL HEX 1,27mm | \$63 | |
| | Ref. 772CSF | HEX DRIVER FOR THREADED SPHERE MICRO HEX 0,9mm | \$63 | |
| OT CAP IN | MPRESSION COPINGS | | | |
| | Ref. 044CAIN | • 2 IMPRESSION COPINGS NORMAL SIZE Ø2,5mm WITH INTERCHANGEABLE CAP | \$49 | |
| | Ref. 044CAIM | • 2 IMPRESSION COPINGS MICRO SIZE Ø1,8mm WITH INTERCHANGEABLE CAP | \$49 | |

IMPLANTOLOGY TITANIUM ATTACHMENTS FOR OVERDENTURE —

SPHERO FLEX - SPHERO BLOCK

Ref. 109



SPHERO FLEX TIN COATED

SET CONTENT

- TITANIUM ABUTMENT WITH SWIVEL SPHERE
- (SPHERE Ø 2,5mm) CAPS (Yellow Pink Clear) STAINLESS STEEL HOUSING

- PROTECTIVE DISK DIRECTIONAL RINGS

\$140

\$125

Ref. 002



SPHERO BLOCK NORMAL TIN COATED

SET CONTENT

- TITANIUM ABUTMENT
- (SPHERE Ø 2,5 mm) CAPS (Yellow Pink Clear)
- STAINLESS STEEL HOUSING PROTECTIVE DISK
- DIRECTIONAL RINGS

Ref. 003



SPHERO BLOCK MICRO TIN COATED

SET CONTENT

- TITANIUM ABUTMENT (SPHERE Ø 1,8mm)
- CAPS (Yellow Pink Clear) STAINLESS STEEL HOUSING PROTECTIVE DISK • 3
- DIRECTIONAL RINGS

\$125

THE SPHERO FLEX, SPHERO BLOCK ATTACHMENTS ARE AVAILABLE FOR THE MAJOR IMPLANT BRANDS.UPON REQUEST WE CAN CUSTOMIZE THEM FOR ANY KIND OF IMPLANTS. WHEN (B.D.G) mm ORDERING, PLEASE ALWAYS INDICATE: IMPLANT BRAND, IMPLANT DIAMETER AND CUFF HEIGHT. FOR SPHERO FLEX ABUTMENT CUFF AVAILABLE FROM 0,5 TO 7mm.



CUFF HEIGHT MEASURER

THIS TOOL IS USED TO DETERMINE THE **CUFF HEIGHT OF IMPLANTS WITH** INTERNAL OR EXTERNAL HEXAGON



SET CONTENT

CUFF HEIGHT SLIDER GAUGE MEASURER



TOOLS SPHERO FLEX - SPHERO BLOCK

| | Ref. 771CEF -1 KEY FOR SPHERO FLEX AND SPHERO BLOCK (NORMAL - Micro size) HEX 2,3mm | \$83 |
|-----------|---|-------|
| | Ref. 760CBM · 1 HEX SCREWDRIVER FOR TORQUE CONTROLLER CONTRA ANGLE HEX 1,3mm | \$72 |
| | Ref. 760CRD-US • 1 RATCHET TORQUE CONTROL DEVICE (FOR OT EQUATOR, SPHERO BLOCK AND FLEX 15/35 Ncm STRENGHT - MAX 70 Ncm TORQUE. | \$360 |
| | Ref. 485IC · 1 CAPS INSERTER/EXTRACTOR OT EQUATOR - NORMAL - MICRO | \$56 |
| | Ref. 008MDS -1 SPHERE MEASURING GAUGE (TO CHECK THE SPHERICAL ATTACHMENT DIAMETERS: 1,6-1,8-2,25-2,5mm) | \$49 |
| | Ref. 044CAIN •2 IMPRESSION COPINGS NORMAL SIZE Ø2,5mm WITH INTERCHANGEABLE CAP | \$49 |
| | Ref. 044CAIM • 2 IMPRESSION COPINGS MICRO SIZE Ø1,8mmWITH INTERCHANGEABLE CAP | €\$49 |
| 0° 7° 14° | Ref. 100AD DIRECTIONAL RINGS FOR SPHERO FLEX AND BLOCK -3 COLOURED RINGS WITH INCLINATION OF 0° - 7° - 14° | \$20 |
| 0° 7° 14° | Ref. 044ABN SPHERO FLEX - BLOCK NORMAL ANALOG SET SET CONTENT -1 SPHERO BLOCK-FLEX NORMAL ANALOG -1 BLACK NORMAL CAP FOR LABORATORY USE -3 DIRECTIONAL RINGS (0° - 7° - 14°) | \$32 |
| 7- | Ref. 044ABM SPHERO BLOCK MICRO ANALOG SET SET CONTENT 1 SPHERO BLOCK-MICRO ANALOG 1 BLACK MICRO CAP FOR LABORATORY USE 3 DIRECTIONAL RINGS (0° - 7° - 14°) | \$32 |

ANTI-UNSCREWING SYSTEM WITH AN ELASTIC DOWEL APPLICABLE TO

SPHERO FLEX-BLOCK - OT REVERSE AND DIFFERENT SCREWS. THE ELASTIC DOWEL IS APPLICABLE ONLY UPON REQUESTTO ALL SCREWS WITH A NOT INFERIOR M. 1.8 to screws - Sphero Flex - Sphero Block - OT Reverse attachments, etc.

> Extra charge for the dowel application



ATTACHMENTS OT CAP & OT BOX - OT STRATEGY - OT BAR OT VERTICAL - OT TECNO - TITANIUM SINGLE SPHERE

MASTER STARTER SET FOR LABORATORY



SET CONTENT

OT CAP - OT BOX SYSTEM:

- 16 castable assorted pivots (NORMAL and micro size)
 4 castable spheres (NORMAL and micro size)
 2 titanium single spheres (NORMAL and micro size)
 + sphere holder + 2 sliding base
 4 castable OT CAP bars (NORMAL and micro size)
 2 complete castable OT CAP TECNO bars (NORMAL and micro size)

- castable OT BOX CLASSIC bars (upper + lower part) NORMAL and micro size
- castable OT BOX SPECIAL bars (NORMAL and micro size) castable OT BOX connectors castable OT BOX MONO housings (NORMAL and micro size)

- plastic positioner rings (NORMAL and micro size)
 OT CAP retentive caps (NORMAL and micro size)
- Clear- standard retention PINK soft retention YELLOW extra soft retention - GREEN very elastic retention TITAN CAP titanium caps (NORMAL and micro size) BLACK CAPS- only for lab use - (NORMAL and micro size)

- S/STEEL housings • 8
- ANALOGUES for plaster models (NORMAL and micro size)
- protective disks
- aluminium spacers (NORMAL and micro size)

OT STRATEGY:

- castable spheres (2 standard and 2 high) castable STEADY
- retentive caps: 2 clear 2 pink 2 yellow for housing
- black caps for housing only for lab use
- s/steel housings
- plastic positioner rings
- retentive caps for duplication technique: CLEAR standard retention PINK soft retention YELLOW extra soft retention
- black caps for duplication technique only for lab use
- ANALOGUES for plaster models

OT BAR MULTIUSE:

- castable bar
- gingival connector
- positioner clip A
- positioner clip B
- castable housings

Ref. 005SKLUS

clips - 2 PINK - soft retention - 2 YELLOW medium retention

OT VERTICAL:

- castable male • 2
- castable STEADY
- clips 2 WHITE- standard retention 2 GREEN soft retention
- castable parallelometer keys
- ceramic bars

TOOLS:

- Pincers 2 Reamer tools for caps (NORMAL and micro size)

- Reamer tools for Caps (NORMAL and micro size)
 Reamer tools for OT STRATEGY caps
 Parallelometer keys for OT CAP (NORMAL and micro size)
 Parallelometer key for OT STRATEGY size
 Parallelometer keys for OT CAP TECNO (NORMAL and micro size)
 Parallelometer keys for OT BAR MULTIUSE
 Blue Plastic "multiuse" insertion tool
- (for steel tool and for inserting the caps in the mouth)
- OT CAP insertion tool
- OT STRATEGY insertion tool
- OT BAR clips insertion tool
- OT VERTICAL clips insertion tool

ATTACHMENTS OT CAP & OT BOX - OT STRATEGY- OT BAR OT VERTICAL - OT UNILATERAL - OT EOUATOR

BASIC LABORATORY SET



OT CAP - OT BOX SYSTEM:

- 16 castable assorted pivots (NORMAL and micro size)
- castable spheres NORMAL/micro
- castable OT CAP bars (NORMAL and micro size) castable OT BOX CLASSIC bars (upper + lower part) NORMAL and micro size castable OT BOX SPECIAL bars (NORMAL and micro size)
- castable OT BOX connectors
- castable OT BOX MONO housings (NORMAL and micro size)
- plastic positioner rings (NORMAL and micro size)
- OT CAP assorted retentive caps (NORMAL and micro size) PINK soft retention - YELLOW extra soft retention
- 13 BLACK CAPS- only for lab use (NORMAL and micro size)
- 4 S/STEEL housings (NORMAL and micro size)

- castable spheres (2 standard and 2 high) castable STEADY
- pink retentive caps
- s/steel housings
- plastic positioner rings
- retentive caps for duplication technique: PINK soft retention YELLOW extra soft retention
- black caps for duplication technique only for lab use

OT EQUATOR:

- single males
- stainless steel housings
- retentive caps (2 soft, 2 standard)
- processing black caps

OT UNILATERAL:

- unilateral castable attachment
- uni-box castable
- plastic positioner micro size
- ot cap micro size: 1 pink 1 black processing cap
- ot strategy (for duplication technique): 1 yellow 1 black processing cap
- connector

OT BAR MULTIUSE:

- castable bar
- gengival connector positioner clip (A - B)

- clips 2 PINK soft retention 2 YELLOW medium retention

OT VERTICAL:

- castable male
- castable STEADY
- clips 2 WHITE- standard retention 2 GREEN soft retention
- castable parallelometer keys
- 2 ceramic bars

TOOLS:

Ref. 005SKLBUS

- Tweezer
- Parallelometer keys for OT CAP NORMAL
- Parallelometer keys for OT CAP micro
- Parallelometer key for OT STRATEGY
- Parallelometer key for OT BAR MULTIUSE . 1
- Blue Plastic "multiuse" insertion tool (for steel tool and for inserting the caps in the mouth)
- 1 OT CAP insertion tool
- OT STRATEGY insertion tool • 1
- OT BAR clips insertion tool
- OT VERTICAL clips insertion tool

OT CAP AND OT BOX ATTACHMENTS

| Ref. 092CAN Ref. 092CAN MICRO Ref. 092CAM PINK RETENTIVE CAPS 4 STAINLESS STEEL HOUSINGS 4 PLASTIC POSITIONERS | \$100 |
|--|-------|
| Ref. 196BCN MICRO Ref 197BCM NORMAL OT CAP NORMAL/MICRO "ECONOMIC" SET CONTENT 1 CASTABLE PRESECTIONED BAR 1 CASTABLE PRESECTIONED BEVELED BAR 1 CASTABLE PRESECTIONED B | \$80 |
| Ref. 099BSN MICRO Ref. 099BSM OT CAP & OT BOX MONO NORMAL/MICRO SET CONTENT -2 CASTABLE PRESECTIONED BARS (1 straight + 1 beveled) -4 CLEAR RETENTIVE CAPS -4 CASTABLE MONO OT BOX -4 PLASTIC POSITIONERS | \$100 |
| Ref. 058BSN NORMAL Ref. 058BSN MICRO Ref. 058BSM OT BOX SPECIAL NORMAL/MICRO + CONNECTORS SET CONTENT 2 OT BOX SPECIAL BARS 9 PLASTIC POSITIONERS 4 CONNECTORS | \$65 |
| Ref. 153BCN MICRO Ref. 153BCM OT BOX CLASSIC NORMAL/MICRO + CONNECTORS SET CONTENT -2 UPPER BARS -2 LOWER BARS -4 PLASTIC POSITIONERS -4 CONNECTORS | \$65 |
| OT STRATEGY ATTACHMENTS | |

OT STRATEGY ATTACHMENTS •



Ref. 098SSS

OT STRATEGY CAPS FOR DUPLICATION TECHNIQUE SET CONTENT

CASTABLE STRATEGY MALES (2 STANDARD - 2 HIGH) CASTABLE STEADY

OT BAR MULTIUSE + CONNECTORS

RETENTIVE CAPS FOR DUPLICATION TECHNIQUE

Ref. 098CAL

OT STRATEGY CAPS FOR STAINLESS STEEL HOUSING TECHNIQUE SET CONTENT

CONTENT

CASTABLE STRATEGY MALES (2 STANDARD - 2 HIGH)

RETENTIVE CAPS FOR HOUSING TECHNIQUE (2 SOFT, 2 STANDARD)

STAINLESS STEEL HOUSINGS

PLASTIC POSITIONERS

CASTABLE STEADY • 4

OT BAR MULTIUSE ATTACHMENTS •

Ref. 0210BM



SET CONTENT

• 2

CASTABLE BARS POSITIONER CLIP A POSITIONER CLIP B

CASTABLE BOXES
RETENTIVE PINK CLIPS

RETENTIVE YELLOW CLIPS RETENTIVE RED CLIPS

CONNECTORS

GINGIVAL CONNECTOR

\$125

\$86

OT VERTICAL ATTACHMENTS



Ref. 0710BV

Ref. 098UNL

OT VERTICAL

SET CONTENT

- CASTABLE MALES • 4 • 2
- CASTABLE STEADY RETENTIVE WHITE CLIPS RETENTIVE GREEN CLIPS
- CASTABLE PARALLELOMETER KEYS + PIN

\$67

OT UNILATERAL EXTRA CORONAL ATTACHMENTS WITH COMBINED FUNCTION

OT UNILATERAL + CONNECTOR

SET CONTENT

- UNILATERAL CASTABLE ATTACHMENT UNI-BOX CASTABLE
- PLASTIC POSITIONER MICRO SIZE PINK CAP MICRO SIZE
- STRATEGY YELLOW CAP (for duplication technique) BLACK CAP MICRO SIZE (for laboratory use only)
- STRATEGY BLACK CAP (for laboratory use only)
- CONNECTOR



Ref. 156BCU

• 1 UNILATERAL CASTABLE ATTACHMENT

\$20

\$52

Ref. 156CCU

• 1 UNI-BOX CASTABLE

\$20

OT CAP TECNO =

NORMAL

Ref. 093CTN

Ref. 093CTM

OT CAP TECNO NORMAL/MICRO

SET CONTENT

- PRE-ANGULATED CASTABLE EXTENSIONS
- TITANIUM SINGLE THREADED SPHERES
 - TITANIUM BOND-IN THREADED SLEEVES TRANSPARENT CAPS NORMAL/MICRO

 - PINK CAPS NORMAL/MICRO YELLOW CAPS NORMAL/MICRO

\$140



Ref. 193BCA

• 2 PRE-ANGULATED CASTABLE EXTENSIONS

\$20

OT LOCK LOCKING PIN TITANIUM AND CASTABLE



Ref. 880CLT

OT LOCK SET TITANIUM

SET CONTENT

- LOCKING PIN SET
- HOUSING SHAPER CERAMIC PIN

\$110



Ref. 880CLR

OT LOCK SET TITANIUM ADJUSTABLE

SET CONTENT

- LOCKING PIN SET HOUSING SHAPER
- CERAMIC PIN

CASTABLE SPACER RINGS

OVERDENTURE ATTACHMENTS

S.P.L. PIVOTS - COPING COVER

PROMOTIONAL SET FOR CLINIC



Ref. 011SPL

SET CONTENT

- 24 CASTABLE ASSORTED PIVOTS MICRO SIZE
- 40 CASTABLE ASSORTED PIVOTS NORMAL SIZE
- 12 TITANIUM MICRO PIVOTS
- 12 TITANIUM NORMAL PIVOTS
- 16 NORMAL CAPS (Clear standard retention PINK soft retention)
- 16 MICRO CAPS (Clear standard retention PINK soft retention)
- 20 PROTECTIVE DISKS
- 2 REGULATING TOOLS (1 NORMAL and 1 micro size)
- BLUE PLASTIC "MULTIUSE" INSERTION TOOL • 1 (FOR THE INSERTION OF THE CAPS INSIDE THE METAL HOUSINGS)
- OT CAP insertion tool • 1
- NORMAL STAINLESS STEEL HOUSING MICRO STAINLESS STEEL HOUSING • 4
- 4
- 12 DIRECTIONAL RINGS (grey 0° green 7° red 14°)
- TWEEZER

\$450

Lengths available: 10 - 9 - 7mm

Ref. 333PEK7

Ref. 333PEK9

Ref. 333PEK10

OT EQUATOR TITANIUM TIN COATED PIVOTS SET

LOW PROFILE HEAD PIVOTS SET CONTENT

TITANIUM OT EQUATOR PIVOTS h7,9 or 10mm (of the same length chosen)
OT EQUATOR ANODIZED TITANIUM HOUSINGS
YELLOW EXTRA SOFT CAPS

• 2

PINK SOFT CAPS CLEAR STANDARD CAPS

TRANSPARENT PROTECTIVE DISKS

\$125

Lengths available: 10 - 9 - 7mm

Ref. 336PTE7

Ref. 336PTE9

Ref. 336PTE10

OT EQUATOR TITANIUM TIN COATED PIVOTS LOW PROFILE HEAD PIVOTS SET CONTENT

• 1 TITANIUM OT EQUATOR PIVOT h7,9 or 10mm (of the length chosen)

| Ref. 192ECE | OT EQUATOR CAPS ASSORTMENT SET SET CONTENT 1 STAINLESS STEEL HOUSING 1 PROCESSING CAP 4 RETENTIVE CAPS (1 EXTRA-SOFT, 1 SOFT, 1 STANDARD, 1 STRONG) 1 PROTECTIVE DISK | \$49 |
|--|--|-------|
| Ref. 033PSF7R Ref. 033PSF9R Ref. 033PSF10R | PIVOT FLEX TIN COATED TITANIUM PIVOT WITH SWIVEL SPHERE - NORMAL size Adapted for COPING COVER SET CONTENT -1 TITANIUM PIVOT WITH SWIVEL SPHERE -1 STAINLESS STEEL HOUSING -2 PINK CAPS NORMAL Size - Soft retention -1 PROTECTIVE DISK -3 DIRECTIONAL RINGS | \$120 |
| Available in lengths: 10 - 9 - 7mm NORMAL SPHERE 02.5 MICRO SPHERE 01.8 Ref. 036PTN9 Ref. 036PTN10 | TITANIUM PIVOTS SET NORMAL SIZE SET CONTENT • 5 TITANIUM PIVOTS (Adapted for COPING COVER) | \$90 |
| Ref. 036PTM7 Ref. 036PTM9 Ref. 036PTM10 | TITANIUM PIVOTS SET MICRO SIZE SET CONTENT . 5 TITANIUM PIVOTS (Adapted for COPING COVER) | \$90 |
| Ref. 192ACM Ref. 192ACM | CAPS ASSORTMENT SET OT CAP NORMAL/MICRO | \$50 |
| STANDARD LENGHT Ref. 034PRK | OT REVERSE 3 OVERDENTURE POSTS FOR ROOTS, AVAILABLE IN ONE STANDARD SIZE SET CONTENT -2 ROOT POSTS IN TITANIUM + TIN -2 RETENTIVE MALE ATTACHMENT TITANIUM + NYLON -2 PLASTIC MANUAL TOOLS -2 STAINLESS STEEL HOUSINGS -2 PINK PROTECTIVE DISKS | \$154 |
| Ø of sub-sphere pin: 2,2 2 1,8 1,7 1,4mm Ref. 010PSP | CASTABLE PIVOTS FOR CANAL IMPRESSIONS SET CONTENT • 20 CASTABLE PIVOTS NORMAL SIZE Lenghts available: 14 - 12 - 10 - 9 - 7mm | \$42 |
| Ref. 012PSM | CASTABLE PIVOTS FOR CANAL IMPRESSIONS SET CONTENT · 20 CASTABLE PIVOTS MICRO SIZE Lenghts available: 10 - 9 - 7mm | \$42 |
| Ref. A01MOG | MOOSER BUR FOR PIVOTS OF 7 - 9 - 10mm | \$35 |
| Ref. A03MOB | MOOSER BUR FOR PIVOTS OF 12 - 14mm | \$35 |
| Ref. 121FD | OT REVERSE 3 DIAMOND SHAPED BUR FOR ROOTS | \$35 |
| Ref. 100AD | DIRECTIONAL RINGS FOR SPHERO FLEX AND BLOCK 3 COLOURED RINGS WITH INCLINATION OF 0° - 7° - 14° | \$20 |
| Ref. 485IC | •1 EXTRACTOR/INSERTER TOOL FOR CAPS OT EQUATOR - NORMAL - MICRO | \$56 |

SPARE PARTS OT CAP SYSTEM NORMAL Ø 2,5 mm

| <u> </u> | Ref. 055SCN | • 4 | CASTABLE SINGLE SPHERES NORMAL SIZE | \$32 |
|---|------------------|-----|--|------|
| San | Ref. 151BAN | • 2 | CASTABLE PRESECTIONED BEVELED BARS NORMAL SIZE | \$32 |
| No. | Ref. 150BPN | • 2 | CASTABLE PRESECTIONED BARS NORMAL SIZE | \$32 |
| | Ref. 048CAN | • 6 | SILVER CAPS NORMAL SIZE (EXTRA-RESILIENT) (ELASTIC AND GUMMY) - 350g | \$47 |
| | Ref. 048CON | • 6 | GOLD CAPS NORMAL SIZE (EXTRA-RESILIENT) (SLIGHTLY ELASTIC) - 500g | \$47 |
| | Ref. 049PCN | •6 | GREEN CAPS NORMAL SIZE (VERY ELASTIC RETENTION) - 350g | \$47 |
| | Ref. 060CRN AY | • 6 | YELLOW CAPS NORMAL SIZE (EXTRA SOFT RETENTION) - 500g | \$47 |
| | Ref. 040CRN SN | • 6 | PINK CAPS NORMAL SIZE (SOFT RETENTION) - 900g | \$47 |
| | Ref. 040CRN | • 6 | CLEAR CAPS NORMAL SIZE (STANDARD RETENTION) - 1300g | \$47 |
| | Ref. 040TCN | • 2 | TITAN CAPS NORMAL SIZE | \$60 |
| | Ref. 043CLN | • 6 | BLACK CAPS NORMAL SIZE (FOR LABORATORY USE ONLY) | \$26 |
| | Ref. 049PCNDR8 | •6 | ORANGE CAPS NORMAL SIZE (VERY ELASTIC RETENTION) (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE OR FOR Ø 2.25 SPHERE) - 350g | \$47 |
| | Ref. 060CRNAYDR8 | •6 | YELLOW CAPS NORMAL SIZE (EXTRA SOFT RETENTION) (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE OR FOR Ø 2.25 SPHERE) - 500g | \$47 |
| | Ref.040CRNSNDR8 | •6 | PINK CAPS NORMAL SIZE (SOFT RETENTION) (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE OR FOR Ø 2.25 SPHERE) - 900g | \$47 |
| | Ref. 040CRNDR8 | •6 | AQUA CAPS NORMAL SIZE (STRONG RETENTION) (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE OR FOR Ø 2.25 SPHERE)) - 1300g | \$47 |
| 0 | Ref. 042AMN | • 2 | MONO OT BOX NORMAL SIZE (CASTABLE HOUSINGS FOR CAPS) | \$21 |
| | Ref. 041CAN | • 2 | STAINLESS STEEL HOUSINGS NORMAL SIZE | \$40 |
| | Ref. 041CTN | • 2 | TITANIUM HOUSINGS NORMAL SIZE | \$44 |
| | Ref. 101PPN | • 2 | PLASTIC POSITIONERS NORMAL SIZE | \$12 |
| | Ref. 044PPN | • 2 | NORMAL SPHERE ANALOGS | \$42 |

SPARE PARTS OT CAP SYSTEM MICRO Ø 1,8 mm

| | Ref. 055SCM • 4 CASTABLE SPHERES MICRO SIZE | \$32 |
|----------|--|------|
| Sand I | Ref. 151BAM · 2 CASTABLE PRESECTIONED BEVELED BARS MICRO SIZE | \$32 |
| Nada. | Ref. 150BPM • 2 CASTABLE PRESECTIONED BARS MICRO SIZE | \$32 |
| | Ref. 048CAM • 6 SILVER CAPS MICRO SIZE (EXTRA-RESILIENT) (ELASTIC AND GUMMY) - 200g | \$47 |
| | Ref. 048COM • 6 GOLD CAPS MICRO SIZE (EXTRA-RESILIENT) (SLIGHTLY ELASTIC) - 450g | \$47 |
| | Ref. 049PCM -6 GREEN CAPS MICRO SIZE (VERY ELASTIC RETENTION) - 200g | \$47 |
| | Ref. 060CRM AY -6 YELLOW CAPS MICRO SIZE (EXTRA SOFT RETENTION) - 450g | \$47 |
| | Ref. 040CRM SN -6 PINK CAPS MICRO SIZE (SOFT RETENTION) - 800g | \$47 |
| | Ref. 040CRM • 6 CLEAR CAPS MICRO SIZE (STANDARD RETENTION) - 1100g | \$47 |
| | Ref. 040TCM · 2 TITAN CAPS MICRO SIZE | \$60 |
| | Ref. 043CLM • 6 BLACK CAPS MICRO SIZE (FOR LABORATORY USE ONLY) | \$26 |
| | Ref. 049PCMDR8 • 6 ORANGE CAPS MICRO SIZE (VERY ELASTIC RETENTION) (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE OR FOR Ø1,6 mm) - 200g | \$47 |
| | Ref. 040CRMDR8 • 6 AQUA CAPS MICRO SIZE (STRONG RETENTION) (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE OR FOR Ø1,6 mm) - 1100g | \$47 |
| 6 | Ref. 042AMM • 2 MONO OT BOX MICRO SIZE (CASTABLE HOUSINGS FOR CAPS) | \$21 |
| | Ref. 041CAM · 2 STAINLESS STEEL HOUSINGS MICRO SIZE | \$40 |
| | Ref. 041CTM • 2 TITANIUM HOUSINGS MICRO SIZE | \$44 |
| | Ref. 101PPM · 2 PLASTIC POSITIONERS MICRO SIZE | \$12 |
| • | Ref. 044PPM • 2 MICRO SPHERE ANALOGS | \$42 |

OT CAP ASSORTMENT SET



KIT NORMAL

Ref. 074KAN

KIT MICRO

Ref. 074KAM

SET CONTENT

8

• 8

• 6

CONTENT

CLEAR CAPS - STANDARD RETENTION
PINK CAPS - SOFT RETENTION
YELLOW CAPS - EXTRA SOFT RETENTION
GREEN CAPS - VERY ELASTIC RETENTION
GOLD CAPS - (EXTRA RESILIENT) SLIGHTLY ELASTIC
SILVER CAPS - (EXTRA RESILIENT) ELASTIC AND GUMMY
LIGHT GREEN CAPS - STANDARD (FOR WORN OUT SPHERE)
ORANGE CAPS - ELASTIC (FOR WORN OUT SPHERE)
BLACK CAPS - LABORATORY USE ONLY
TITAN CAPS

TITAN CAPS

\$265



ASSORTMENT SET NORMAL & MICRO

SET CONTAINS

SET CONTAINS

- 4+4 CLEAR CAPS - STANDARD RETENTION

- 4+4 PINK CAPS - SOFT RETENTION

- 2+2 YELLOW CAPS - EXTRA SOFT RETENTION

- 3+3 GREEN CAPS - VERY ELASTIC RETENTION

- 3+3 GOLD CAPS - (EXTRA RESILIENT) SLIGHTLY ELASTIC

- 3+3 SILVER CAPS - (EXTRA RESILIENT) ELASTIC AND GUMMY

- 2+2 LIGHT GREEN CAPS - STANDARD (FOR WORN OUT SPHERE)

- 2+2 ORANGE CAPS - ELASTIC (FOR WORN OUT SPHERE)

- 2+2 BLACK CAPS - LABORATORY USE ONLY

- 1+1 TITAN CAPS

• 1+1 TITAN CAPS

\$265

OT CAP ASSORTED RETENTIVE CAPS -

Ref. 074KNM



NORMAL

Ref. 064ACN

MICRO

Ref. 064ACM

SET CONTENT

ORIENI
GREEN CAPS - VERY ELASTIC RETENTION
YELLOW CAPS - EXTRA SOFT RETENTION
PINK CAPS - SOFT RETENTION
CLEAR CAPS - STANDARD RETENTION

• 6

• 6

\$160

OT CAP SYSTEM ATTACHMENTS •



NORMAL

TITANIUM SINGLE SPHERE NORMAL SIZE + TIN

FOR LASER SOLDERING - FOR BONDING

SET CONTENT

SINGLE TITANIUM SPHERES PINK CAPS - SOFT RETENTION SPHERE HOLDER

CASTABLE SLIDING BASES

\$88

\$88



MICRO

Ref. 038STM

Ref. 038STN

TITANIUM SINGLE SPHERE MICRO SIZE + TIN

FOR LASER SOLDERING - FOR BONDING

SET CONTENT • 2

SINGLE TITANIUM SPHERES PINK CAPS - SOFT RETENTION SPHERE HOLDER

CASTABLE SLIDING BASES

| OT CAP NORMAL-MICRO TOOLS | • |
|---|-------|
| Ref. 485IC • 1 EXTRACTOR/INSERTER TOOL FOR CAPS OT EQUATOR - OT CAP NORMAL/MICRO | \$56 |
| Ref. 74AC01 • 1 PARALLELOMETER MANDREL NORMAL/OT EQUATOR | \$33 |
| Ref. 74AC02 • 1 PARALLELOMETER MANDREL MICRO | \$33 |
| Ref. 74AC03 • 1 PARALLELOMETER MANDREL TECNO NORMAL AND MICRO SIZE (ONLY FOR OT CAP TECNO) | \$33 |
| Ref. 491EC • 1 MULTIUSE REMOVAL TOOL FOR RETENTIVE CAPS | \$40 |
| Ref. 008MDS • 1 SPHERE MEASURING GAUGE (TO CHECK THE SPHERICAL ATTACHMENT DIAMETERS: 1,6-1,8-2,25-2,5mm) | \$49 |
| Ref. 080RCN • 1 REAMER TOOL FOR OT CAPS - NORMAL SIZE | \$35 |
| Ref. 080RCM • 1 REAMER TOOL FOR OT CAPS - MICRO SIZE | \$35 |
| Ref. 082ATN • 1 TOOL FOR TESTING CAP RETENTION - NORMAL SIZE | \$35 |
| Ref. 083ATM • 1 TOOL FOR TESTING CAP RETENTION - MICRO SIZE | \$35 |
| NORMAL - MICRO ACCESSORIES AND Ø2.2mm | |
| Ref. 155CC · 6 CONNECTORS | \$26 |
| Ref. 187CRS · 2 CONCAVE SPHERES AVAILABLE: Ø1.8 - 2.2 - 2.5mm | \$130 |
| Ref. 187CRE • 2 CONCAVE OT EQUATOR | \$100 |
| Ref. 189SRS • 2 SOLID SPHERES AVAILABLE: Ø1.8mm | \$130 |
| Ref. 100PD • 10 PROTECTIVE DISKS (internal diameter 1,6mm) | \$24 |
| Ref. 100PDR • 10 PINK PROTECTIVE DISKS (internal diameter 2,9mm) | \$24 |
| Ref. 161SCMN MICRO Ref. 161SCMM 4 OT CAP NORMAL/MICRO SPACERS FOR HOUSING | \$28 |
| Ref. 038GCS · 2 CASTABLE SLIDING BASES | \$30 |
| Ref. 044CAI22 •2 IMPRESSION COPINGS Ø2,25mm SPHERES WITH INTERCHANGEABLE CAP | \$49 |
| Ref. 044PP22 • 2 MICRO ANALOGS Ø2.2mm | \$42 |

OT STRATEGY SPARE PARTS

| | Ref. 154PCS | • 4 | OT STRATEGY STANDARD MALES | \$35 |
|-------------|----------------|-----|--|------|
| | Ref. 054PLS | • 4 | OT STRATEGY HIGH MALES | \$35 |
| | Ref. 154STY | •2 | CASTABLE STEADY | \$16 |
| | Ref. 047CSD AY | • 4 | STRATEGY YELLOW CAPS FOR DUPLICATION TECHNIQUE (EXTRA SOFT RETENTION) - 500g | \$47 |
| | Ref. 047CSD SN | • 4 | STRATEGY PINK CAPS FOR DUPLICATION TECHNIQUE (SOFT RETENTION) - 900g | \$47 |
| | Ref. 047CSD | • 4 | STRATEGY CLEAR CAPS FOR DUPLICATION TECHNIQUE (STANDARD RETENTION) - 1300g | \$47 |
| | Ref. 047CLS | • 4 | STRATEGY BLACK CAPS FOR DUPLICATION TECHNIQUE (FOR LABORATORY USE ONLY) | \$26 |
| | Ref. 047CSDDR8 | • 4 | AQUA STRATEGY CAPS FOR DUPLICATION TECHNIQUE (UNDERSIZED INTERNAL DIAMETER FOR WORN SPHERE OR 1.7mm SPHERE) | \$47 |
| (1 | Ref. 045CSM AY | • 4 | STRATEGY YELLOW CAPS FOR S/STEEL HOUSING (EXTRA SOFT RETENTION) - 500g (TO BE USED ONLY WITH HOUSINGS) | \$40 |
| | Ref. 045CSM SN | • 4 | STRATEGY PINK CAPS FOR S/STEEL HOUSING (SOFT RETENTION) - 900g (TO BE USED ONLY WITH HOUSINGS) | \$40 |
| | Ref. 045CSM | • 4 | STRATEGY CLEAR CAPS FOR S/STEEL HOUSING (STANDARD RETENTION) -1300g (TO BE USED ONLY WITH HOUSINGS) | \$40 |
| (P) | Ref. 045CLS | • 4 | STRATEGY BLACK CAPS FOR S/STEEL HOUSING (FOR LABORATORY USE ONLY) | \$25 |
| | Ref. 045CSMDR8 | • 4 | AQUA STRATEGY CAPS FOR S/STEEL HOUSING (UNDERSIZED INTERNAL DIAMETER FOR WORN SPHERE OR 1.7mm SPHERE) | \$40 |
| | Ref. 046CSM | • 2 | STRATEGY STAINLESS STEEL HOUSINGS | \$45 |
| P | Ref. 101OTS | • 2 | STRATEGY PLASTIC POSITIONERS (FOR SOLDERING STAINLESS STEEL HOUSINGS) | \$12 |

| | | OT STRATEGY ASSORTMENT CAP SET FOR DUPLICATION TECHNIQUE | |
|------------------|---------------|--|-------|
| ₩ - - | Ref. 047ACS | SET CONTENT -4 YELLOW CAPS - EXTRA SOFT RETENTION -4 PINK CAPS - SOFT RETENTION -4 CLEAR CAPS - STANDARD RETENTION | \$115 |
| कु कु कु | Ref. 045ACS | OT STRATEGY ASSORTMENT CAP SET FOR S/STEEL HOUSINGS SET CONTENT -4 YELLOW CAPS - EXTRA SOFT RETENTION -4 PINK CAPS - SOFT RETENTION -4 CLEAR CAPS - STANDARD RETENTION | \$90 |
| Ī | Ref. 044PPS | • 2 STRATEGY ANALOGS | \$54 |
| | Ref. 486ICS | • 1 INSERTER/EXTRACTOR TOOL FOR STRATEGY CAPS | \$56 |
| A | Ref. 75AC04 | • 1 PARALLELOMETER MANDREL FOR STRATEGY CAPS | \$33 |
| | Ref. 081RCS | • 1 REAMER TOOL FOR STRATEGY CAPS | \$35 |
| OT BAR N | IULTIUSE SPAR | RE PARTS | |
| | Ref. 022OBB | • 2 CASTABLE BARS OT BAR MULTIUSE | \$34 |
| | Ref. 025CPB | • 4 CASTABLE BOXES OT BAR MULTIUSE | \$32 |
| 3 | Ref. 023CPA | • 4 POSITIONER CLIPS A | \$20 |
| 2 | Ref. 024CPB | • 4 POSITIONER CLIPS B | \$20 |
| 3 | Ref. 027CRG | • 4 YELLOW CLIPS (MEDIUM RETENTION 1,8Kg) | \$44 |
| 3 | Ref. 026CRR | • 4 PINK CLIPS (SOFT RETENTION 1,2Kg) | \$44 |
| | Ref. 027CRS | • 4 RED CLIPS (EXTRA SOFT RETENTION 0,6Kg) | \$44 |
| | Ref. 022RGO | • 3 CASTABLE CONNECTORS | \$16 |
| | Ref. 429IOBM | • 1 INSERTER/EXTRACTOR TOOL FOR OT BAR MULTIUSE CLIPS | \$56 |
| | Ref. 028OCP | • 1 PARALLELOMETER KEY FOR OT BAR MULTIUSE | \$33 |

OT VERTICAL SPARE PARTS —

| ¥ | | |
|---|--|------|
| i | Ref. 072MCV · 2 CASTABLE MALES PIN KEYS | \$42 |
| | Ref. 072SCV · 2 CASTABLE STEADY | \$18 |
| | Ref. 072CBV • 4 WHITE CLIPS (STANDARD RETENTION) | \$40 |
| | Ref. 072CVV • 4 GREEN CLIPS (SOFT RETENTION) | \$40 |
| | Ref. 472ICV • 1 INSERTION TOOL FOR OT VERTICAL CLIPS | \$56 |
| | | |

OT REVERSE 3 SPARE PARTS -

| Ref. 120MR2 · 2 RETENTIVE MALES IN TITANIUM + NYLON (COLOR CLEAR/ STANDARD RETENTION) | \$52.00 |
|---|---------|
| Ref. 041CAM • 2 S/STEEL HOUSINGS MICRO SIZE | \$32.00 |
| Ref. 121AAR · 2 INOX ROOTS ANALOGS | \$41.00 |
| Ref. 121AM · 2 PLASTIC MANUAL TOOLS | \$14.00 |
| Ref. 121PR • 2 PLASTIC POSITIONERS FOR DUPLICATION | \$14.00 |
| Ref. 100PDR • 10 PINK PROTECTIVE DISKS | \$20.00 |
| Ref. 124IMR • 1 METAL INSERTING TOOL FOR OT REVERSE/3 MALE | € 15,00 |
| Ref. 72CBR ·1 S/STEEL PARALLELOMETER KEY FOR CASTABLE BAR | \$29.00 |
| Ref. 72CFR • 1 BRASS PARALLELOMETER KEY FORTITANIUM FEMALE | \$29.00 |
| | |

OT LOCK SPARE PARTS

| OT LOCK SPARE PARTS | | |
|--|---|-------|
| Ref. 882CS | • 1 SLIDING KEY (ONLY FOR TITANIUM - CASTABLE LOCKING PIN) | \$22 |
| Ref. 882AF | • 1 FLEXIBLE RING | \$28 |
| Ref. 882CB | • 1 LOCKING KEY | \$30 |
| Ref. 882CPT | • 1 TITANIUM PREFABRICATED HOUSING (ONLY FOR TITANIUM - TITANIUM ADJUSTABLE LOCKING PIN) | \$30 |
| Ref. 882PPC | • 1 CERAMIC PIN | \$15 |
| Ref. 882CLSCT | ADJUSTABLE SLIDING KEY (ONLY FOR TITANIUM ADJUSTABLE LOCKING PIN) | \$22 |
| Ref. 882DCC | • 9 CASTABLE SPACER RINGS (ONLY FOR TITANIUM ADJUSTABLE LOCKING PIN) | \$29 |
| OT LOCK ACCESSORIES | | ı |
| Ref. 882CG | • 1 CONICAL GUIDE | \$18 |
| Ref. 882CAS | • 1 UNLOCKING TOOL | \$29 |
| SPHERE REPAIR SETS — | | |
| Ø AVAILABLE: 1,8 - 2,25 - 2,5 Ref. 087CRS | CONCAVE REPAIR SPHERE SET CONTENT -2 CONCAVE SPHERES IN TITANIUM - TIN COATED -2 PINK CAPS SOFT RETENTION -1 INSERTING TOOL -1 GAUGE AND STRIP HOLDER | \$200 |
| Ref. 087CRE | CONCAVE REPAIR OT EQUATOR SET CONTENT - 2 CONCAVE OT EQUATOR IN TITANIUM - TIN COATED - 2 PINK CAPS SOFT RETENTION - 1 INSERTING TOOL - 1 GAUGE AND STRIP HOLDER | \$125 |
| Ref. 089SRS | SOLID REPAIR SPHERE SET CONTENT -2 SOLID SPHERES 1.8mm IN TITANIUM - TIN COATED -2 PINK CAPS SOFT RETENTION -2 PROTECTIVE DISKS -1 KEY | \$200 |

OT CEM —

COMPOSITE CEMENT



SET CONTENT

TWO-COMPONENT SYRINGE 5ml

•10 AUTOMIX TIPS

Ref. TOC

•10 AUTOMIX TIPS

\$92

\$19

OT LEVER •

UNIVERSAL LEVER



Ref. 7610TL

• 2 OT LEVER

FOR REMOVAL OF PROSTHESES AND ALIGNERS

\$25



Ref. BOL

OT LEVER BOX

SET CONTENT

- 6 OT LEVER PACKAGES1 OT LEVER PACKAGING DISPLAY STAND

\$110

BROKEN SCREW EXTRACTOR KIT

BROKEN SCREW EXTRACTOR SETS ARE MANUFACTURED FOR MOST IMPLANT BRANDS



Ref. 680



SET CONTENT

CLAW REAMER BUR REVERSE CUTTING BUR MANUAL EXTRACTOR CENTERING DEVICE

\$359

Ref. 680FS

REVERSE CUTTING BUR

\$60

Ref. 680FA*

CLAW REAMER BUR

\$60

*Specify type of implant and diameter

THE BROKEN SCREW EXTRACTOR SET MAY HAVE SPACE PROBLEMS IN THE REAR SECTION, WHICH COULD AFFECT ITS PERFORMANCE. IT'S IMPORTANT TO ANALYZE THE SITUATION BEFORE USING THE SET.



COMPANY DIRECTORY

Customer Service: Toll Free (877)778-8383 Fax (914) 633-6363

Rhein83 Attachments Website: www.rhein83usa.com

Email: info@rhein83usa.com

Technical Support: joet@rhein83usa.com

Like us on Facebook: Rhein83 Attachments USA

Follow us on Instagram: @rhein83usa



PHEINS 3USA

Distributed By American Recovery 877.778.8383 www.rhein83usa.com info@rhein83usa.com







